

Bruce Forbes
Tutkimusprofessori
Arktinen keskus
Arktinen globaalimuutos

Sähköposti: bruce.forbes@ulapland.fi
Puhelin: +358408479 202



Vertaisarvioidut tieteellisten lehtien artikkelit

2021

Serreze, M. C., Gustafson, J., Barrett, A. P., Druckenmiller, M. L., Fox, S., Voveris, J., Stroeve, J., Sheffield, B., Forbes, B. C., Rasmus, S., Laptander, R., Brook, M., Brubaker, M., Temte, J., McCrystall, M. R., & Bartsch, A. (2021). Arctic rain on snow events: bridging observations to understand environmental and livelihood impacts. *Environmental research letters*, 16(10), [105009]. <https://doi.org/10.1088/1748-9326/ac269b>

Martin, A. C., Macias-Fauria, M., Bonsall, M. B., Forbes, B. C., Zetterberg, P., & Jeffers, E. S. (2021). Common mechanisms explain nitrogen-dependent growth of Arctic shrubs over three decades despite heterogeneous trends and declines in soil nitrogen availability. *New Phytologist*, 1-17. <https://doi.org/10.1111/nph.17529>

McCrystall, M. R., Stroeve, J., Serreze, M., Forbes, B. C., & Screen, J. A. (2021). New climate models reveal faster and larger increases in Arctic precipitation than previously projected. *Nature Communications*, 12(1), [6765]. <https://doi.org/10.1038/s41467-021-27031-y>

Frost, G. V., Macander, M. J., Bhatt, U. S., Epstein, H. E., Berner, L. T., Bjerke, J. W., Forbes, B. C., Goetz, S. J., Lara, M. J., Park, T., Phoenix, G. K., Reynolds, M. K., Tømmervik, H., & Walker, D. A. (2021). Tundra greenness. *Bulletin of the American Meteorological Society*, 101(8, Special Supplement), S297–S303. <https://doi.org/10.1175/BAMS-D-21-0086.1>

Landauer, M., Rasmus, S., & Forbes, B. C. (2021). What drives reindeer management in Finland towards social and ecological tipping points? *Regional Environmental Change*, 21(2), [32]. <https://doi.org/10.1007/s10113-021-01757-3>

2020

Forbes, B. C., Turunen, M., Soppela, P., Rasmus, S., Vuojala-Magga, T., & Kittilä, H. (2020). Changes in Mountain Birch Forests and Reindeer Management: Comparing Different Knowledge Systems in Sápmi, Northern Fennoscandia. *Polar Record : a Journal of Arctic and Antarctic Research*, 55(6), 507-521. <https://doi.org/10.1017/S0032247419000834>

Buchwal, A., Sullivan, P. F., Macias-Fauria, M., Post, E. S., Myers-Smith, I. H., Stroeve, J. C., Blok, D., Tape, K. D., Forbes, B. C., Ropars, P., Lévesque, E., Elberling, B., Angers-Blondin, S., Boyle, J. S., Boudreau, S., Boulanger-Lapointe, N., Gamm, C., Hallinger, M., Rachlewicz, G., ... Welker, J. M. (2020). Divergence of Arctic shrub growth associated with sea ice decline. *Proceedings of the National Academy of Sciences of the United States of America*, 117(52), 33334-33344. <https://doi.org/10.1073/pnas.2013311117>

Tømmervik, H., & Forbes, B. C. (2020). Focus on recent, present and future Arctic and boreal productivity and biomass changes. *Environmental research letters*, 15(8), [080201]. <https://doi.org/10.1088/1748-9326/ab79e3>

Thomas, H. J. D., Bjorkman, A. D., Myers-Smith, I. H., Elmendorf, S. C., Kattge, J., Diaz, S., Vellend, M., Blok, D., Cornelissen, J. H. C., Forbes, B. C., Henry, G. H. R., Hollister, R. D., Normand, S., Prevéy, J. S., Rixen, C., Schaeppman-Strub, G., Wilmking, M., Wipf, S., Cornwell, W. K., ... de Vries, F. T. (2020). Global plant trait relationships extend to the climatic extremes of the tundra biome. *Nature Communications*, 11(1), [1351]. <https://doi.org/10.1038/s41467-020-15014-4>

Verdonen, M., Berner, L. T., Forbes, B. C., & Kumpula, T. (2020). Periglacial vegetation dynamics in Arctic Russia: decadal analysis of tundra regeneration on landslides with time series satellite imagery. *Environmental research letters*, 15(10), [105020]. <https://doi.org/10.1088/1748-9326/abb500>

Skarin, A., Verdonen, M., Kumpula, T., Maclas-Fauria, M., Alam, M., Kerby, J., & Forbes, B. C. (2020). Reindeer use of low Arctic tundra correlates with landscape structure. *Environmental research letters*, 15(11), [115012]. <https://doi.org/10.1088/1748-9326/abfb15>

Tuomi, M., Väisänen, M., Yläne, H., Brearley, F. Q., Barrio, I. C., Bråthen, K. A., Eischeid, I., Forbes, B. C., Jónsdóttir, I. S., Kolstad, A. L., Macek, P., Petit Bon, M., Speed, J. D. M., Stark, S., Svavarsdóttir, K., Thórsson, J., & Bueno, C. G. (2020). Stomping in silence: Conceptualizing trampling effects on soils in polar tundra. *Functional Ecology*, 35(2), 306-317. <https://doi.org/10.1111/1365-2435.13719>

Berner, L. T., Massey, R., Jantz, P., Forbes, B. C., Macias-Fauria, M., Myers-Smith, I. H., Kumpula, T., Gauthier, G., Andreu-Hayles, L., Gaglioti, B. V., Burns, P., Zetterberg, P., D'Arrigo, R., & Goetz, S. J. (2020). Summer warming explains widespread but not uniform greening in the Arctic tundra biome. *Nature Communications*, 11(1), [4621]. <https://doi.org/10.1038/s41467-020-18479-5>

Frost, G. V., Bhatt, U. S., Epstein, H. E., Berner, L. T., Bjerke, J. W., Forbes, B. C., Goetz, S. J., Lara, M. J., Macander, M. J., Phoenix, G. K., Reynolds, M. K., Tømmervik, H., & Walker, D. A. (2020). Tundra greenness. *Bulletin of the American Meteorological Society*, 101(8, Special Supplement), S272-S274. <https://doi.org/10.1175/BAMS-D-20-0086.1>

Shi, C., Schneider, L., Hu, Y., Shen, M., Sun, C., Xia, J., Forbes, B. C., Shi, P., Zhang, Y., & Ciais, P. (2020). Warming-induced unprecedented high-elevation forest growth over the monsoonal Tibetan Plateau. *Environmental research letters*, 15(5), [054011]. <https://doi.org/10.1088/1748-9326/ab7b9b>

2019

Anderson, D. G., Harrault, L., Milek, K. B., Forbes, B. C., Kuoppamaa, M., & Plekhanov, A. V. (2019). Animal domestication in the high Arctic: Hunting and holding reindeer on the Amal peninsula, northwest Siberia. *Journal of Anthropological Archaeology*, 55, [101079]. <https://doi.org/10.1016/j.jaa.2019.101079>

Klein, J. A., Tucker, C. M., Nolin, A. W., Hopping, K. A., Reid, R. S., Steger, C., Grêt-Regamey, A., Lavorel, S., Müller, B., Yeh, E. T., Boone, R. B., Bourgeron, P., Butsic, V., Castellanos, E., Chen, X., Dong, S. K., Greenwood, G., Keiler, M., Marchant, R., ... Ueno, K. (2019). Catalyzing Transformations to Sustainability in the World's Mountains. *Earth's Future*, 7(5), 547-557. <https://doi.org/10.1029/2018EF001024>

Huntington, H. P., Carey, M., Apok, C., Forbes, B. C., Fox, S., Holm, L. K., Ivanova, A., Jaypoody, J., Noongwook, G., & Stammler, F. (2019). Climate change in context: putting people first in the Arctic. *Regional Environmental Change*, 19(4), 1217-1223. <https://doi.org/10.1007/s10113-019-01478-8>

Kolari, T. H. M., Kumpula, T., Verdonen, M., Forbes, B. C., & Tahvanainen, T. (2019). Reindeer grazing controls willows but has only minor effects on plant communities in Fennoscandian orarctic mires. *Arctic, Antarctic, and Alpine Research*, 51(1), 506-520. <https://doi.org/10.1080/15230430.2019.1679940>

Duncan, B. N., Ott, L. E., Abshire, J. B., Brucker, L., Carroll, M. L., Carton, J., Comiso, J. C., Dinnat, E. P., Forbes, B. C., Gonsamo, A., Gregg, W. W., Hall, D. K., Jalongo, I., Jandt, R., Kahn, R. A., Karpechko, A., Kawa, S. R., Kato, S., Kumpula, T., ... Wu, D. L. (2019). Space-Based Observations for Understanding Changes in the Arctic-Boreal Zone. *Reviews of Geophysics*, 1-94. <https://doi.org/10.1029/2019RG000652>

Ades, M., Adler, R., Aldeco, L. S., Alejandra, G., Alfaro, E. J., Aliaga-Nestares, V., Allan, R. P., Allan, R., Alves, L. M., Amador, J. A., Andersen, J. K., Anderson, J., Arndt, D. S., Arosio, C., Arrigo, K., Azorin-Molina, C., Bardin, M. Y., Barichivich, J., Barreira, S., ... Veasey, S. W. (2019). State of the climate in 2018. *Bulletin of the American Meteorological Society*, 100(9), SI-S305. <https://doi.org/10.1175/2019BAMSStateoftheClimate.1>

Post, E. S., Alley, R. B., Christensen, T. R., Macias-Fauria, M., Forbes, B. C., Gooseff, M. N., Iler, A., Kerby, J. T., Laidre, K. L., Mann, M. E., Olofsson, J., Stroeve, J. C., Ulmer, F., Virginia, R. A., & Wang, M. (2019). The polar regions in a 2°C warmer world. *Science advances*, 5(12). <https://doi.org/10.1126/sciadv.aaw9883>

Pointner, G., Bartsch, A., Forbes, B. C., & Kumpula, T. (2019). The role of lake size and local phenomena for monitoring ground-fast lake ice. *International Journal of Remote Sensing*, 40(3), 832-858. <https://doi.org/10.1080/01431161.2018.1519281>

Nilsson, A. E., Carson, M., Cost, D. S., Forbes, B. C., Haavisto, R., Karlsdottir, A., Larsen, J. N., Paasche, Ø., Sarkki, S., Larsen, S. V., & Pelyasov, A. (2019). Towards improved participatory scenario methodologies in the Arctic. *Polar Geography*, 1-15. <https://doi.org/10.1080/1088937X.2019.1648583>

Thomas, H. J. D., Myers-Smith, I. H., Bjorkman, A. D., Elmendorf, S. C., Blok, D., Cornelissen, J. H. C., Forbes, B. C., Hollister, R. D., Normand, S., Prev y, J. S., Rixen, C., Schaepman-Strub, G., Wilmking, M., Wipf, S., Cornwell, W., Kattge, J., Goetz, S. J., Guay, K. C., Alatalo, J. M., ... van Bodegom, P. M. (2019). Traditional plant functional groups explain variation in economic but not size-related traits across the tundra biome. *Global Ecology and Biogeography*, 28(2), 78-95. <https://doi.org/10.1111/geb.12783>

Speed, J. D. M.,  snes Skjelbred, I., Barrio, I. C., Martin, M. D., Berteaux, D., Bueno, C. G., Christie, K. S., Forbes, B. C., Forbey, J., Fortin, D., Grytnes, J. A., Hoset, K. S., Lecomte, N., Marteinsd ttir, B., Mosbacher, J. B.,  rnyk Pedersen,  ., Ravolainen, V., Rees, E. C., Skarin, A., ... Soininen, E. M. (2019). Trophic interactions and abiotic factors drive functional and phylogenetic structure of vertebrate herbivore communities across the Arctic tundra biome. *Ecography*, 42(6), 1152-1163. <https://doi.org/10.1111/ecog.04347>

2018

Forbes, B. C., Kumpula, T., Messhyt b, N., Laptander, R., Macias-Fauria, M., Zetterberg, P., Verdonen, M., Skarin, A., Kwang-Yul, K., Boisvert, L. N., Stroeve, J. C., & Bartsch, A. (2018). Coping with a warming winter climate in Arctic Russia: sea ice retreat in Barents and Kara Sea affecting Yamal Nenets reindeer nomadism (in Russian). *Известия Русского географического общества*, 150(1), 3-19.

Bjorkman, A. D., Myers-Smith, I. H., Elmendorf, S. C., Normand, S., R ger, N., Beck, P. S. A., Blach-Overgaard, A., Blok, D., Cornelissen, J. H. C., Forbes, B. C., Georges, D., Goetz, S. J., Guay, K. C., Henry, G. H. R., HilleRisLambers, J., Hollister, R. D., Karger, D. N., Kattge, J., Manning, P., ... Weiher, E. (2018). Plant functional trait change across a warming tundra biome. *Nature*, 562(7725), 57-62. <https://doi.org/10.1038/s41586-018-0563-7>

Abernethy, R., Ackerman, S. A., Adler, R., Albanil Encarnaci n, A., Aldeco, L. S., Alfaro, E. J., Aliaga-Nestares, V., Allan, R. P., Allan, R., Alves, L. M., Amador, J. A., Anderson, J., Andreassen, L. M., Arg ez, A., Armitage, C., Arndt, D. S., Avalos, G., Azorin-Molina, C., B ez, J., ... McVicar, T. R. (2018). State of the climate in 2017. *Bulletin of the American Meteorological Society*, 99(8), Si-S310.

Epstein, H. E., Bhatt, U. S., Reynolds, M. K., Walker, D. A., Forbes, B. C., Phoenix, G. K., Bjerke, J., T mmervik, H., Karlsen, S. R., Myneni, R. B., Park, T., Goetz, S. J., & Jia, G. (2018). Tundra greenness. *Bulletin of the American Meteorological Society*, 99(8, Special Supplement), 165-169. <https://journals.ametsoc.org/doi/pdf/10.1175/2018BAMSStateoftheClimate.1>

Bjorkman, A. D., Myers-Smith, I. H., Elmendorf, S. C., Normand, S., Thomas, H. J. D., Alatalo, J. M., Alexander, H., Anadon-Rosell, A., Angers-Blondin, S., Bai, Y., Baruah, G., te Beest, M., Berner, L., Bj rk, R. G., Blok, D., Bruelheide, H., Buchwal, A., Buras, A., Carbognani, M., ... Zamin, T. (2018). Tundra Trait Team: A database of plant traits spanning the tundra biome. *Global Ecology and Biogeography*, 27(12), 1402-1411. <https://doi.org/10.1111/geb.12821>

Walker, D. A., Epstein, H. E.,  ib k, J., Bhatt, U., Romanovsky, V. E., Breen, A. L., Chasnikova, S., Daanen, R., Druckenmiller, L. A., Ermokhina, K., Forbes, B. C., Frost, G. V., Geml, J., Kaarlej rvi, E., Khitun, O. V., Khomutov, A. V., Kumpula, T., Kuss, P., Matyshak, G. V., ... Timling, I. (2018). Vegetation on mesic loamy and sandy soils along a 1700-km maritime Eurasia Arctic Transect. *Applied Vegetation Science*, 22(1), 150-167. <https://doi.org/10.1111/avsc.12401>

Forbes, B. C., Kumpula, T., Messhytyb, N. A., Laptander, R., Macias-Fauria, M., Zetterberg, P., Verdonen, M., A., S., Kim, K.-Y., Boisvert, L. N., Stroeve, J. C., & Bartsch, A. (2018). Влияние сокращения ледовитости баренцева Карского морей на традиционное оленеводство полуострова Ямал. *Известия Русского географического общества*, 150(1), 3-19.

2017

Barrio, I. C., Lindén, E., Te Beest, M., Olofsson, J., Rocha, A. V., Soininen, E. M., Alatalo, J. M., Andersson, T., Asmus, A., Boike, J., Bråthen, K. A., Bryant, J. P., Buchwal, A., Bueno, C. G., Christie, K. S., Denisova, Y. V., Egelkraut, D., Ehrich, D., Fishback, L. A., ... Kozlov, M. V. (2017). Background invertebrate herbivory on dwarf birch (*Betula glandulosa-nana* complex) increases with temperature and precipitation across the tundra biome. *Polar Biology*. <https://doi.org/10.1007/s00300-017-2139-7>

Macias-Fauria, M., Karlsen, S. R., & Forbes, B. C. (2017). Disentangling the coupling between sea ice and tundra productivity in Svalbard. *Scientific Reports*, 7(1), [8586]. <https://doi.org/10.1038/s41598-017-06218-8>

Horstkotte, T., Utsi, T. A., Larsson-Blind, Å., Burgess, P., Johansen, B., Käyhkö, J., Oksanen, L., & Forbes, B. C. (2017). Human–animal agency in reindeer management: Sámi herders' perspectives on vegetation dynamics under climate change. *Ecosphere*, 8(9), [e01931]. <https://doi.org/10.1002/ecs2.1931>

Normand, S., Høye, T. T., Forbes, B. C., Bowden, J. J., Davies, A. L., Odgaard, B. V., Riede, F., Svenning, J. C., Treier, U. A., Willerslev, R., & Wischniewski, J. (2017). Legacies of Historical Human Activities in Arctic Woody Plant Dynamics. *Annual Review of Environment and Resources*, 42, 541-567. <https://doi.org/10.1146/annurev-environ-110615-085454>

Epstein, H. E., Bhatt, U. S., Reynolds, M. K., Walker, D. A., Forbes, B. C., Macias-Fauria, M., Loranty, M. M., Phoenix, G. K., & Bjerke, J. (2017). Tundra greenness. *Bulletin of the American Meteorological Society*, 98(8, Special Supplement), S145-S147. http://www.ametsoc.net/sotc2016/Ch05_Arctic.pdf

2016

Abbott, B. W., Jones, J. B., Schuur, E. A. G., Chapin III, F. S., Bowden, W. B., Bret-Harte, M. S., Epstein, H. E., Flannigan, M. D., Harms, T. K., Hollingsworth, T. N., Mack, M. C., McGuire, A. D., Natali, S. M., Rocha, A. V., Tank, S. E., Turetsky, M. R., Vonk, J. E., Wickland, K. P., Aiken, G. R., ... Zimov, S. (2016). Biomass offsets little or none of permafrost carbon release from soils, streams, and wildfire: an expert assessment. *Environmental research letters*, 11(3), [034014]. <https://doi.org/10.1088/1748-9326/11/3/034014>

Barrio, I. C., Barrio, I. C., Gartzia, M., Soininen, E. M., Christie, K. S., Speed, J. D. M., Ravolainen, V. T., Forbes, B. C., Gauthier, G., Horstkotte, T., Hoset, K. S., Høye, T. T., Jónsdóttir, I. S., Lévesque, E., Mörsdorf, M. A., Olofsson, J., Wookey, P. A., & Hik, D. S. (2016). Biotic interactions mediate patterns of herbivore diversity in the Arctic. *Global Ecology and Biogeography*, 25(9), 1108-1118. <https://doi.org/10.1111/geb.12470>

Keskitalo, E. C. H., Horstkotte, T., Kivinen, S., Forbes, B., & Käyhkö, J. (2016). "Generality of mis-fit"? The real-life difficulty of matching scales in an interconnected world. *Ambio*, 45, 752-752. <https://doi.org/10.1007/s13280-015-0757-2>

Uboni, A., Horstkotte, T., Kaarlejarvi, E., Seveque, A., Stammler, F., Olofsson, J., Forbes, B. C., & Moen, J. (2016). Long-Term Trends and Role of Climate in the Population Dynamics of Eurasian Reindeer. *PLoS ONE*, 11(6), [0158359]. <https://doi.org/10.1371/journal.pone.0158359>

Forbes, B. C., Kumpula, T., Messhytyb, N., Laptander, R., Macias-Fauria, M., Zetterberg, P., Verdonen, M., Skarin, A., Kim, K.-Y., Boisvert, L. N., Stroeve, J. C., & Bartsch, A. (2016). Sea ice, rain-on-snow and tundra reindeer nomadism in Arctic Russia. *Biology Letters*, 12, [20160466]. <https://doi.org/10.1098/rsbl.2016.0466>

2015

Myers-Smith, I. H., Elmendorf, S. C., Beck, P. S. A., Wilmsking, M., Hallinger, M., Blok, D., Tape, K. D., Rayback, S. A., Macias-Fauria, M., Forbes, B. C., Speed, J. D. M., Boulanger-Lapointe, N., Rixen, C., Lévesque, E., Schmidt, N. M., Baittinger, C., Trant, A. J., Hermanutz, L., Siegwart Collier, L., ... Vellend, M. (2015). Climate sensitivity of shrub growth across the tundra biome. *Nature Climate Change*, 5(9), 887–891. <https://doi.org/10.1038/nclimate2697>

Myers-Smith, I. H., Hallinger, M., Blok, D., Sass-Klaassen, U., Rayback, S. A., Weijers, S., Trant, A. J., Tape, K. D., Naito, A. T., Wipf, S., Rixen, C., Dawes, M. A., Wheeler, J. A., Buchwal, A., Baittinger, C., Macias-Fauria, M., Forbes, B. C., Levesque, E., Boulanger-Lapointe, N., ... Wilmsking, M. (2015). Methods for measuring arctic and alpine shrub growth: A review. *Earth-Science Reviews*, 140, 1-13. <https://doi.org/10.1016/j.earscirev.2014.10.004>

Forbes, B. C. (2015). Methods for measuring arctic and alpine shrub growth: A review. *Earth-Science Reviews*, 140. <https://doi.org/10.1016/j.earscirev.2014.10.004>

Bernes, C., Bråthen, K. A., Forbes, B. C., Speed, J. D. M., & Moen, J. (2015). What are the impacts of reindeer/caribou (*Rangifer tarandus* L.) on arctic and alpine vegetation? A systematic review. *Environmental Evidence*, 4(1), [4]. <https://doi.org/10.1186/s13750-014-0030-3>

Virtanen, R., Oksanen, L., Oksanen, T., Cohen, J., Forbes, B. C., Johansen, B., Käyhkö, J., Olofsson, J., Pulliainen, J., & Tømmervik, H. (2015). Where do the treeless tundra areas of northern highlands fit in the global biome system: toward an ecologically natural subdivision of the tundra biome. *Ecology and Evolution*. <https://doi.org/10.1002/ece3.1837>

2013

Forbes, B. C. (2013). Cultural Resilience of Social-ecological Systems in the Nenets and Yamal-Nenets Autonomous Okrugs, Russia: A Focus on Reindeer Nomads of the Tundra. *Ecology and Society*, 18(4), [36]. <https://doi.org/10.5751/ES-05791-180436>

Zeng, H., Jia, G., & Forbes, B. C. (2013). Shifts in Arctic phenology in response to climate and anthropogenic factors as detected from multiple satellite time series. *Environmental research letters*, 8(3), [035036]. <https://doi.org/10.1088/1748-9326/8/3/035036>

Xu, L., Myneni, R. B., Chapin, F. S., Callaghan, T. V., Pinzon, J. E., Tucker, C. J., Zhu, Z., Bi, J., Ciais, P., Tommervik, H., Euskirchen, E. S., Forbes, B. C., Piao, S. L., Anderson, B. T., Ganguly, S., Nemani, R. R., Goetz, S. J., Beck, P. S. A., Bunn, A. G., ... Stroeve, J. C. (2013). Temperature and vegetation seasonality diminishment over northern lands. *Nature Climate Change*, 3(6), 581-586. <https://doi.org/10.1038/NCLIMATE1836>

Bernes, C., Bråthen, K. A., Forbes, B., Hofgaard, A., Moen, J., & Speed, J. D. M. (2013). What are the impacts of reindeer/caribou (*Rangifer tarandus* L.) on arctic and alpine vegetation? A systematic review protocol. *Environmental Evidence*, 2(1), [6]. <https://doi.org/10.1186/2047-2382-2-6>

2012

Kumpula, T., Forbes, B. C., Stammler, F., & Messhtyb, N. (2012). Dynamics of a Coupled System: Multi-Resolution Remote Sensing in Assessing Social-Ecological Responses during 25 Years of Gas Field Development in Arctic Russia. *Remote Sensing*, 4(4), 1046-1068. <https://doi.org/10.3390/rs4041046>

Walker, D. A., Epstein, H. E., Reynolds, M. K., Kuss, P., Kopecky, M. A., Frost, G. V., Daniels, F. J. A., Leibman, M. O., Moskalenko, N. G., Matyshak, G. V., Khitun, O. V., Khomutov, A. V., Forbes, B. C., Bhatt, U. S., Kade, A. N., Vonlanthen, C. M., & Tichy, L. (2012). Environment, vegetation and greenness (NDVI) along the North America and Eurasia Arctic transects. *Environmental research letters*, 7(1), [015504]. <https://doi.org/10.1088/1748-9326/7/1/015504>

Macias-Fauria, M., Forbes, B. C., Zetterberg, P., & Kumpula, T. (2012). Eurasian Arctic greening reveals teleconnections and the potential for structurally novel ecosystems. *Nature Climate Change*, 2(8), 613-618. <https://doi.org/10.1038/NCLIMATE1558>

2011

Whiteman, G., de Vos, D. R., Chapin, F. S., Yli-Pelkonen, V., Niemela, J., & Forbes, B. C. (2011). Business Strategies and the Transition to Low-carbon Cities. *Business Strategy and the Environment*, 20(4), 251-265. <https://doi.org/10.1002/bse.691>

Kumpula, T., Pajunen, A., Kaarlejarvi, E., Forbes, B. C., & Stammer, F. (2011). Land use and land cover change in Arctic Russia: Ecological and social implications of industrial development. *Global Environmental Change : Human and Policy Dimensions*, 21(2), 550-562. <https://doi.org/10.1016/j.gloenvcha.2010.12.010>

Yu, Q., Epstein, H. E., Walker, D. A., Frost, G. V., & Forbes, B. C. (2011). Modeling dynamics of tundra plant communities on the Yamal Peninsula, Russia, in response to climate change and grazing pressure. *Environmental research letters*, 6(4), [045505]. <https://doi.org/10.1088/1748-9326/6/4/045505>

Callaghan, T. V., Johansson, M., Brown, R. D., Groisman, P. Y., Labba, N., Radionov, V., Bradley, R. S., Blangy, S., Bulygina, O. N., Christensen, T. R., Colman, J. E., Essery, R. L. H., Forbes, B. C., Forchhammer, M. C., Golubev, V. N., Honrath, R. E., Juday, G. P., Meshcherskaya, A. V., Phoenix, G. K., ... Wood, E. F. (2011). Multiple Effects of Changes in Arctic Snow Cover. *Ambio*, 40, 32-45. <https://doi.org/10.1007/s13280-011-0213-x>

Myers-Smith, I. H., Forbes, B. C., Wilking, M., Hallinger, M., Lantz, T., Blok, D., Tape, K. D., Macias-Fauria, M., Sass-Klaassen, U., Levesque, E., Boudreau, S., Ropars, P., Hermanutz, L., Trant, A., Collier, L. S., Weijers, S., Rozema, J., Rayback, S. A., Schmidt, N. M., ... Hik, D. S. (2011). Shrub expansion in tundra ecosystems: dynamics, impacts and research priorities. *Environmental research letters*, 6(4), [045509]. <https://doi.org/10.1088/1748-9326/6/4/045509>

Eicken, H., Forbes, B., & Wiggins, H. (2011). State of the Arctic Conference 2010: International Perspectives on Progress of Research Responsive to Decision-Makers' Information Needs. *Ambio*, 40(7), 824-827. <https://doi.org/10.1007/s13280-011-0153-5>

Achberger, C., Ackerman, S. A., Ahlstrøm, A., Alfaro, E. J., Allan, R. J., Alves, L., Amador, J. A., Amelie, V., Andrianjafinirina, S., Antonov, J., Arndt, D. S., Ashik, I., Atheru, Z., Attaher, S. M., Baez, J., Banzon, V., Baringer, M. O., Barreira, S., Barriopedro, D., ... Zimmermann, S. (2011). State of the climate in 2010. *Bulletin of the American Meteorological Society*, 92(6), S1-S236. <https://doi.org/10.1175/1520-0477-92.6.S1>

Forbes, B. C., Stammer, F., Kumpula, T., Messityb, N., Pajunen, A., & Kaarlejärvi, E. (2011). Ямальские оленеводы, газодобыча и изменения окружающей среды: адаптивный потенциал кочевого хозяйства и его ограничения. *Environmental Planning and Management*, 12(1), 52-68. <https://www.arcticcentre.org/loader.aspx?id=ac7adf62-92ae-4d29-9ae3-669248a7d9cb>

2010

Pajunen, A. M., Kaarlejarvi, E. M., Forbes, B. C., & Virtanen, R. (2010). Compositional differentiation, vegetation-environment relationships and classification of willow-characterised vegetation in the western Eurasian Arctic. *Journal of Vegetation Science*, 21(1), 107-119. <https://doi.org/10.1111/j.1654-1103.2009.01123.x>

Bartsch, A., Kumpula, T., Forbes, B. C., & Stammer, F. (2010). Detection of snow surface thawing and refreezing in the Eurasian Arctic with QuikSCAT: implications for reindeer herding. *Ecological Applications*, 20(8), 2346-2358.

Kumpula, T., Forbes, B. C., & Stammer, F. (2010). Remote Sensing and Local Knowledge of Hydrocarbon Exploitation: The Case of Bovanenkovo, Yamal Peninsula, West Siberia, Russia. *ARCTIC*, 63(2), 165-178.

Forbes, B. C., Macias Fauria, M., & Zetterberg, P. (2010). Russian Arctic warming and 'greening' are closely tracked by tundra shrub willows. *Global Change Biology*, 16(5), 1542-1554. <https://doi.org/10.1111/j.1365-2486.2009.02047.x>

2009

Forbes, B. C., & Stammer, F. (2009). Arctic climate change discourse: the contrasting politics of research agendas in the West and Russia. *Polar Research*, 28(1), 28-42. <https://doi.org/10.1111/j.1751-8369.2009.00100.x>

Forbes, B. C., Stammer, F., Kumpula, T., Messhyb, N., Pajunen, A., & Kaarlejärvi, E. (2009). High resilience in the Yamal-Nenets social-ecological system, West Siberian Arctic, Russia. *Proceedings of the National Academy of Sciences of the United States of America*, 106(52), 22041. <https://doi.org/10.1073/pnas.0908286106>

Kitti, H., Forbes, B. C., & Oksanen, J. (2009). Long- and short-term effects of reindeer grazing on tundra wetland vegetation. *Polar Biology*, 32(2), 253-261. <https://doi.org/10.1007/s00300-008-0526-9>

Walker, D. A., Leibman, M. O., Epstein, H. E., Forbes, B. C., Bhatt, U. S., Reynolds, M. K., Comiso, J. C., Gubarkov, A. A., Khomutov, A. V., Jia, G. J., Kaarlejärvi, E., Kaplan, J. O., Kumpula, T., Kuss, P., Matyshak, G., Moskalenko, N. G., Orekhov, P., Romanovsky, V. E., Ukraintseva, N. G., & Yu, Q. (2009). Spatial and temporal patterns of greenness on the Yamal Peninsula, Russia: interactions of ecological and social factors affecting the Arctic normalized difference vegetation index. *Environmental research letters*, 4(4), [045004]. <https://doi.org/10.1088/1748-9326/4/4/045004>

Forbes, B. C., & Kumpula, T. (2009). The ecological role and geography of reindeer (*rangifer tarandus*) in Northern Eurasia. *Geography Compass*, 3(4), 1356-1380. <https://doi.org/10.1111/j.1749-8198.2009.00250.x>

2007

Willard, B. E., Cooper, D. J., & Forbes, B. C. (2007). Natural regeneration of alpine tundra vegetation after human trampling: A 42-year data set from Rocky Mountain National Park, Colorado, USA. *Arctic, Antarctic, and Alpine Research*, 39(1), 177-183.

Willard, B. E., Cooper, D. J., & Forbes, B. C. (2007). Natural Regeneration of Alpine Tundra Vegetation after Human Trampling: a 42-year Data Set from Rocky Mountain National Park, Colorado, U.S.A. *Arctic, Antarctic, and Alpine Research*, 39(1). [https://doi.org/10.1657/1523-0430\(2007\)39\[177:NROATV\]2.0.CO;2](https://doi.org/10.1657/1523-0430(2007)39[177:NROATV]2.0.CO;2)

2005

Messhyb, N., Forbes, B., & Kankaanpää, P. (2005). Social impact assessment along Russia's northern sea route: Petroleum transport and the Arctic Operational Platform (ARCOP). *ARCTIC*, 58(3), 322-327.

2004

Whiteman, G., Forbes, B. C., Niemela, J., & Chapin, F. S. (2004). Bringing feedback and resilience of high-latitude ecosystems into the corporate boardroom. *Ambio*, 33(6), 371-376.

Forbes, B. C., Fresco, N., Shvidenko, A., Danell, K., & Chapin, F. S. (2004). Geographic variations in anthropogenic drivers that influence the vulnerability and resilience of social-ecological systems. *Ambio*, 33(6), 377-382.

Chapin, F. S., Peterson, G., Berkes, F., Callaghan, T. V., Angelstam, P., Apps, M., Beier, C., Bergeron, Y., Crepin, A. S., Danell, K., Elmquist, T., Folke, C., Forbes, B., Fresco, N., Juday, G., Niemela, J., Shvidenko, A., & Whiteman, G. (2004). Resilience and vulnerability of northern regions to social and environmental change. *Ambio*, 33(6), 344-349.

2002

Weladji, R. B., & Forbes, B. C. (2002). Disturbance Effects of Human Activities on Rangifer Tarandus Habitat: Implications for Life History and Population Dynamics. *Polar Geography*, 26(3), 171-186. <https://doi.org/10.1080/789610191>

2001

Forbes, BC., Ebersole, JJ., & Strandberg, B. (2001). Anthropogenic disturbance and patch dynamics in circumpolar arctic ecosystems. *Conservation Biology*, 15(4), 954-969.

2000

Kofinas, G., Osherenko, G., Klein, D., & Forbes, B. (2000). Research planning in the face of change: the human role in reindeer/caribou systems. *Polar Research*, 19(1), 3-21.

1999

Molau, U., Christensen, T. R., Forbes, B., Holten, J. I., Kling, G. W., & Vourlitis, G. L. (1999). Climate change effects on northern terrestrial and freshwater ecosystems: Current status assessment. *Chemosphere - Global Change Science*, 1(4), 493-495.

Forbes, BC., & Sumina, OI. (1999). Comparative ordination of low arctic vegetation recovering from disturbance: Reconciling two contrasting approaches for field data collection. *Arctic, Antarctic, and Alpine Research*, 31(4), 389-399.

Forbes, BC. (1999). Land use and climate change on the Yamal Peninsula of north-west Siberia: some ecological and socio-economic implications. *Polar Research*, 18(2), 367-373.

Forbes, B. C. (1999). Reindeer herding and petroleum development on Poluostrov Yamal: Sustainable or mutually incompatible uses? *Polar Record : a Journal of Arctic and Antarctic Research*, 35(195), 317-322.

Forbes, BC., & Jefferies, RL. (1999). Revegetation of disturbed arctic sites: constraints and applications. *Biological Conservation*, 88(1), 15-24.

1997

Forbes, B. C. (1997). Tundra disturbance studies IV. Species establishment on anthropogenic primary surfaces, Yamal Peninsula, northwest Siberia, Russia. *Polar Geography*, 21(2), 79-100.

1996

Forbes, B. (1996). Plant communities of archaeological sites, abandoned dwellings, and trampled tundra in the eastern Canadian Arctic: A multivariate analysis. *ARCTIC*, 49(2), 141-154.

1995

Forbes, B. C. (1995). Tundra Disturbance Studies, III: Short-term Effects of Aeolian Sand and Dust, Yamal Region, Northwest Siberia. *Environmental Conservation*, 22(4), 335-344. <https://doi.org/10.1017/S0376892900034901>

Kevan, P. G., Forbes, B. C., Kevan, S. M., & Behan-Pelletier, V. (1995). Vehicle tracks on high Arctic tundra: Their effects on the soil, vegetation, and soil arthropods. *Journal of Applied Ecology*, 32(3), 655-667. <https://doi.org/10.2307/2404660>

1994

Forbes, B. C. (1994). The importance of bryophytes in the classification of human-disturbed high arctic vegetation. *Journal of Vegetation Science*, 5(6), 877-884. <https://doi.org/10.2307/3236200>

1993

Forbes, B. C. (1993). 'Global change and arctic terrestrial ecosystems': an international conference sponsored by the norwegian institute for nature research, held in Oppdal, Norway, during 21-26 August 1993. *Environmental Conservation*, 20(4), 372. <https://doi.org/10.1017/s0376892900023730>

Forbes, B. C. (1993). Small-Scale Wetland Restoration in the High Arctic: A Long-Term Perspective. *Restoration Ecology*, 1(1), 59-68. <https://doi.org/10.1111/j.1526-100X.1993.tb00009.x>

1992

Forbes, B. C. (1992). Tundra Disturbance Studies, I: Long-term Effects of Vehicles on Species Richness and Biomass. *Environmental Conservation*, 19(1), 48-58. <https://doi.org/10.1017/S0376892900030241>

Forbes, B. C. (1992). Tundra disturbance studies. II. Plant growth forms of human- disturbed ground in the Canadian Far North. *Musk-Ox*, 39, 164-173.

Artikkelit vertaisarvioituissa tieteellisissä kirjoissa ja konferenssijulkaisuissa

Horstkotte, T., Heikkinen, H. I., Warg Næss, M., Landauer, M., Forbes, B. C., Risvoll, C., & Sarkki, S. (2022). Implications of norms and knowledge in customary reindeer herding units for resource governance. teoksessa T. Horstkotte, Ø. Holand , J. Kumpula, & J. Moen (Toimittajat), *Reindeer husbandry and global environmental change : Pastoralism in Fennoscandia* (Sivut 133-149). Routledge. <https://doi.org/10.4324/9781003118565-11>

Moen, J., Forbes, B. C., Löf, A., & Horstkotte, T. (2022). Tipping points and regime shifts in reindeer husbandry: a systems approach. teoksessa T. Horstkotte, Ø. Holand , J. Kumpula, & J. Moen (Toimittajat), *Reindeer husbandry and global environmental change : Pastoralism in Fennoscandia* (Sivut 265-277). Routledge. <https://doi.org/10.4324/9781003118565-20>

Löf, A., Raitio, K., Forbes, B. C., Labba, M. M. K., Landauer, M., Risvoll, C., & Sarkki, S. (2022). Unpacking reindeer husbandry governance in Sweden, Norway and Finland: A political discursive perspective. teoksessa T. Horstkotte, Ø. Holand , J. Kumpula, & J. Moen (Toimittajat), *Reindeer husbandry and global environmental change – Pastoralism in Fennoscandia* (Sivut 150-172). Routledge. <https://doi.org/10.4324/9781003118565-12>

Harkoma, A., & Forbes, B. C. (2020). Traditional reindeer rangeland management and a (human) rights-based approach to food sovereignty. teoksessa K. Hossain, L. M. Nilsson, & T. M. Herrmann (Toimittajat), *Food Security in the High North: Contemporary Challenges Across the Circumpolar Region* Routledge. Routledge Research in Polar Regions <https://doi.org/10.4324/9781003057758>

Иванова, А., Keri, M., Huntington, H. P., Fox, S., Forbes, B. C., Apok, C., Holm, L. K., Jaypoody, J., Noongwook , G., & Stammier, F. (2020). От информантов к партнёрам в исследованиях: смещение фокуса на людей в науке Арктики. teoksessa В. В. Питулько, & Н. В. Федорова (Toimittajat), *Археология Арктики: сборник* (Vuosikerta VII, Sivut 199-218). Золотой тираж.

Riseth, J. Å., Tømmervik, H., & Forbes, B. C. (2019). Sustainable and resilient reindeer herding. teoksessa M. Tryland, & S. J. Kutz (Toimittajat), *Reindeer and caribou : health and disease* (Sivut 23-43). CRC press.

Forbes, B. C. (2015). Arctic vegetation cover: patterns, processes and expected change. teoksessa B. Evengard, J. Nymand Larsen, & Ø. Paasche (Toimittajat), *The New Arctic* (Sivut 117-132). Springer.

Forbes, B., Larsen, J. N., Anisimov, O. A., Constable, A., Hollowed, A., Maynard, N., Prestrud, P., Prowse, T., Stone, J., Callaghan, T., Carey, M., Convey, P., Derocher, A., Fretwell, P. T., Glomsrød, S., Hodgson, D., Hofmann, E., Hovelsrud, G. K., Ljubicic, G. L., ... Wrona, F. (2014). Polar regions. teoksessa M. Ananicheva, & F. S. Chapin III (Toimittajat), *Climate Change 2014: Impacts, Adaptation, and Vulnerability: Working Group II contribution to Intergovernmental Panel on Climate Change - 5th Assessment Report* (Sivut 1567-1612). Cambridge University Press.

Forbes, B. C., & Kofinas, G. (2014). Resource Governance. teoksessa J. Nymand Larsen, & G. Fondahl (Toimittajat), *Arctic Human Development Report: Regional Processes and Global Linkages* (Sivut 255-298). Nordic Council of Ministers. TemaNord Nro 567 <https://doi.org/10.6027/9789289338837-10-en>

Huntington, H., Arnbom, T., Danielsen, F., Enghoff, M., Euskirchen, E., Forbes, B. C., Kurvits, T., Levermann, N., Løvstrøm, P., Mustonen, K., Mustonen, T., Schiøtz, M., Sommerkorn, M., Svoboda, M., Topp-Jørgensen, E., & York, G. (2013). Disturbance, feedbacks and conservation. teoksessa H. Meltote, A. B. Josefson, & D. Payer (Toimittajat), *Arctic biodiversity assessment : status and trends in Arctic biodiversity* (2013 toim., Sivut 630-651). The Conservation of Arctic Flora and Fauna (CAFF).

Ims, R. A., Ehrlich, D., Forbes, B. C., Huntley, B., Walker, D. A., Wookey, P. A., Berteaux, D., Bhatt, U. S., Bräthen, K. A., Edwards, M. E., Epstein, H. E., Forchhammer, M. C., Fuglei, E., Gauthier, G., Gilbert, S., Leung, M., Menyushina, I. E., Ovsyanikov, N., Post, E., ... van der Wal, R. (2013). Terrestrial ecosystems. teoksessa H. Meltote, A. B. Josefson, & D. Payer (Toimittajat), *Arctic biodiversity assessment : status and trends in Arctic biodiversity* (2013 toim., Sivut 384-440). The Conservation of Arctic Flora and Fauna (CAFF).

Forbes, B. C. (2013). Tundra biome. teoksessa *Oxford bibliographies in ecology* (2013 toim.). Oxford University Press.

Macdonald, C., Lockhart, L., Gilman, A., Baker, T., Bakke, T., Cantin, D., Dam, M., Davies, I., Forbes, B., Hoydal, K., Hylland, K., Ikävalko, J., Makarevich, P., Meier, S., Mosbech, A., Pawlak, J., Peltonen, K., Titov, O., & Zhilin, A. (2010). Effects of oil and gas activity on the environment and human health. teoksessa *Assessment 2007: Oil and gas activities in the Arctic - effects and potential effects. Volume 2* (2010 toim., Sivut 5-163). Arctic monitoring and assessment programme.

Vertaisarvioimattomat tieteelliset artikkelit

Epstein, H. E., Walker, D. A., Frost, G. V., Reynolds, M. K., Bhatt, U. S., Daanen, R., Forbes, B. C., Geml, J., Kaarlejärvi, E., Khitun, O. V., Khomutov, A. V., Kuss, P., Leibman, M. O., Matyshak, G. V., Moskalenko, N. G., Orekhov, P. T., Romanovsky, V. E., & Timling, I. (2021). Spatial patterns of arctic tundra vegetation properties on different soils along the Eurasia Arctic Transect, and insights for a changing Arctic. *Environmental research letters*, 16(1), [014008]. <https://doi.org/10.1088/1748-9326/abc9e3>

Forbes, B. C., Mettiäinen, I., Stammer-Gossmann, A., Soppela, P., & Kankaanpää, P. (2013). Preface. teoksessa M. Tanaka, I. Mettiäinen, & P. Soppela (Toimittajat), *Reconstructing change and resilience in environmental and social conditions - what can we learn from the past for the future : 11th Annual Seminar of the ARKTIS Arctic Doctoral Programme: abstract book : Arctic Centre, Rovaniemi 4-5th April 2013* (2013 toim., Sivut 5-6). Lapin yliopisto, Arktinen keskus.

Walker, D. A., Forbes, B. C., Leibman, M. O., Epstein, H. E., Bhatt, U. S., Comiso, J. C., Drozdov, D. S., Gubarkov, A. A., Jia, G. J., Kaarlejärvi, E., Kaplan, J. O., Khomutov, A. V., Kofinas, G. P., Kumpula, T., Kuss, P., Moskalenko, N. G., Messhyb, N., Pajunen, A., Reynolds, M. K., ... Yu, Q. (2011). Cumulative effects of rapid land-cover and land-use changes on the Yamal Peninsula, Russia. teoksessa G. Gutman, & A. Reissell (Toimittajat), *Eurasian arctic land cover and land use in a changing climate* (2011 toim., Sivut 207-236). Springer.

Forbes, B. C. (2008). Equity, vulnerability and resilience in social-ecological systems: a contemporary example from the Russian Arctic. teoksessa *Equity and the Environment* (Sivut 203-236). Elsevier. Research in Social Problems and Public Policy Nro 15

Kumpula, T., Forbes, B. C., & Stammler, F. (2006). Combining data from satellite images and reindeer herders in arctic petroleum development : the case of Yamal, West Siberia. teoksessa *NGR yearbook* (2006 toim., Vuosikerta 35, Sivut 17-30). Oulun yliopisto.

Kitti, H., Gunsley, N., & Forbes, B. C. (2006). Defining the quality of reindeer pastures : the perspectives of Sámi reindeer herders. teoksessa *Reindeer management in northernmost Europe* (Sivut 141-165). Springer.

Stammler, F., & Forbes, B. (2006). Oil and gas development in the Russian Arctic: West-Siberia and Timan-Pechora. *Indigenous Affairs*, (42431), 48 - 57.

Forbes, B. (2006). Reviews. *ARCTIC*, 59, 223 - 226.

Müller-Wille, L., Hukkinen, J., & Forbes, B. C. (2006). Synthesis : environmental and socio-political conditions for modern reindeer management in Europe's north. teoksessa *Reindeer management in northernmost Europe* (Sivut 365-379). Springer.

Forbes, B. C. (2006). The challenges of modernity for reindeer management in northernmost Europe. teoksessa *Reindeer management in northernmost Europe* (Sivut 11-25). Springer.

Soppela, P., Turunen, M., Forbes, B. C., Aikio, P., Magga, H., Sutinen, M-L., Lakkala, K., & Uhlig, C. (2006). The chemical response of reindeer summer pasture plants in a subarctic peatland to ultraviolet (UV) radiation. teoksessa *Reindeer management in northernmost Europe* (Sivut 199-216). Springer.

Kitti, H., & Forbes, B. C. (2006). Vegetation structure, cover and biomass of subarctic tundra wetlands used as summer pastures. teoksessa *Reindeer management in northernmost Europe* (Sivut 187-198). Springer.

Tieteelliset kirjat ja raportit

Walker, D. A., Epstein, H. E., Leibman, M. E., Goborski, K., Barbour, E. M., Forbes, B., Moskalenko, N. G., Orekhov, P. T., Kuss, J. P., Matyshak, G. V., & Kaarlejärvi, E. (2009). *Data report of the 2007 and 2008 Yamal expeditions: Nadym, Laborovaya, Vaskiny, Dachy, and Kharasavey*. University of Alaska Fairbanks.

Ammattiyhteisölle suunnatut julkaisut

Frost, G. V., Bhatt, U. S., Epstein, H. E., Walker, D. A., Reynolds, M. K., Berner, L., Bjerke, J., Breen, A. L., Forbes, B. C., Goetz, S. J., Iversen, C. M., Lara, M. J., Macander, M. J., Phoenix, G. K., Rocha, A. V., Salmon, V. G., Thornton, P. E., Tømmervik, H., & Wullschleger, S. D. (2019). Tundra Greenness. teoksessa *Arctic Report Card: Update for 2019: Arctic ecosystems and communities are increasingly at risk due to continued warming and declining sea ice* (Sivut 48-57). NOAA Arctic Research Program. <https://arctic.noaa.gov/Report-Card/Report-Card-2019/ArtMID/7916/ArticleID/838/Tundra-Greenness>

Horstkotte, T., Forbes, B. C., Utsi, T. A., Kivinen, S., & Käyhkö, J. (2017). Ihminen osana sosio-ekologista järjestelmää. teoksessa J. Käyhkö, & T. Horstkotte (Toimittajat), *Globaalimuutoksen vaikutus porotalouteen Pohjois-Fennoskandian tundra-alueilla* (Sivut 45-51). Turun yliopisto. Turun yliopiston maantieteen ja geologian laitoksen julkaisuja Vuosikerta 4 <https://www.utu.fi/en/sites/tundra/publications/Documents/Tundra%20Fin%20www.pdf>

Huitric, M., Peterson, G., Rocha, J. C., Carson, M., Clark, D., Forbes, B. C., Hovelsrud, G. K., Mathiesen, S. D., Perl, A., & Quinlan, A. (2016). What factors build or erode resilience in the Arctic? teoksessa M. Carson, & G. Peterson (Toimittajat), *Arctic Resilience Report 2016* (Sivut 96-126). Stockholm Environment Institute. <https://oarchive.arctic->

council.org/handle/11374/1838

Forbes, B. C. (2013). The reindeer botanist: Alf Erling Porsild, 1901-1977. *Arctic Institute of North America*.

Epstein, H., Bhatt, U. S., Walker, D. A., Raynolds, M. K., Bienek, P. A., Comiso, J. C., Pinzon, J. E., Tucker, C. J., Polyakov, I. V., Jia, G. J., Zeng, H., Forbes, B. C., Macias Fauria, M., Xu, L., Myneni, R., Frost, G. V., Shaver, G. R., Bret-Harte, M. S., Mack, M. C., & Rocha, A. V. (2013). Vegetation. teoksessa E. Ojanlatva (Toimittaja), *Arctic Report Card: Update for 2013 : tracking recent environmental changes* NOAA Arctic Research Program.

Forbes, B. C. (2010). Contact with nature. teoksessa *Arctic Social Indicators: a follow-up to the Arctic Human Development Report*

Soppela, P., Turunen, M., Forbes, B., Magga, H., Aikio, P., Sutinen, M-L., Lakkala, K., & Uhlig, C. (2007). Poron kesälaidunkasvit ja ultravioletti (UV) -säteily. *Poromies*, 74(1), 44 - 46.

Yleistajuiset julkaisut

Barrio, I. C., Hik, D. S., Forbes, B. C., Jónsdóttir, I. S., Kaarlejärvi, E., Kozlov, M. V., Soininen, E. M., Yläanne, H., & Väisänen, M. (2021). Eating Plants to Mitigate the Impacts of Climate Change on Tundra? *Shared Voices*, (1), 44. <https://www.uarctic.org/shared-voices/shared-voices-magazine-2021/eating-plants-to-mitigate-the-impacts-of-climate-change-on-tundra/>

Rasmus, S., Forbes, B. C., Joona, T., & Rautio, P. (2020). Kolme merkittävää horisontti-rahoitusta Pohjoisen tutkimukseen. *Poromies*, 87(3), 62-65.

Forbes, B. C. (2020). Kestävä poronhoito huomioi ilmastonmuutoksen. *Helsingin sanomat*, (24.2.2020), B 10.

Forbes, B. (2014). Tuokio Arktisessa. *Kide : Lapin yliopiston tiede- ja taidelehti*, 35(3), 26-27.

Stammler, F., Forbes, B., & Alexander, B. (2009). *Ilebs declaration on coexistence of oil and gas activities and indigenous communities on Nenets and other territories in the Russian North*. Lapin yliopisto, Arktinen keskus.